

**Committed For A Better Life** 



Dedicated to Provide

Healthy Life With

Excellent Quality.

# COMPANY PROFILE 2022

MEDISUM BIOTECH PVT. LTD. was founded in march 2022 with the aim of making affordable healthcare reachable to every Indian household.

Medisum biotech having its registered corporate office in Delhi is a balance of experience and zeal with its chairman having an experience of 40 years in the pharma industry and young directors thrieving to make thier mark.



Our focus here at medisum is at providing excellant quality medicines at an affordable price to every citizen in the country.

The key forces driving our company are innovation, integrity & service to the human kind.

Committed for a better life.



# Certificate of Registration

This Certificate certify that the Management System of

# **MEDISUM BIOTECH PRIVATE LIMITED**

E-5/16, Krishna Nagar, Delhi - 110051, India.

has been audited by ICV and found to be in compliance with the requirements of the standard

ISO 9001:2015

(Quality Management System)

This certificate is valid for the following scope:

Manufacturer, Trader, Dealers, Job Workers, Processors, Sellers, Retailer, Buyers, Wholesalers, Importers, Exporters in Pharmaceuticals, Pharmaceutical-fine-Chemicals, Pharmaceutical Products and Bulkdrugs etc.

Certificate No : IN/18907689/4540

Initial Registration Date : 28/03/2023 Certificate Issue Date : 28/03/2023

Certification Expiry/Re Certification Date: 27/03/2026







Abliabelysi

### CEO ICV ASSESSMENTS PVT. LTD.

25, First Floor, Prabhu Complex, Shiva Market, Pitampura New Delhi - 110034 +91 - 11-41548315, info@icvassessments.com, www.icvassessments.com

- Validity of this Certificate is subject to completion of surveillance audit on or before of due date. In case Surveillance audit not allowed to be conducted this Certificate shall be suspended / withdrawal.
- This Certificate is intellectual Property of ICV and Certificate shall be returned to ICV in case of non compliance of certification procedure. Authenticity of this certificate can be verified at www.icvassessments.com

# CERTIFICATE OF REGISTRATION



This is to certify that the management system of

# MEDISUM BIOTECH PRIVATE LIMITED

has been formally assessed by
INTERNATIONAL CERTIFICATION & INSPECTION UK LTD.
and found to comply with the requirements of

# **GMP**

(Good Manufacturing Practice)

Scope of Registration:

Manufacturer, Trader, Dealers, Job Workers, Processors, Sellers, Retailer, Buyers, Wholesalers, Importers, Exporters in Pharmaceuticals, Pharmaceutical-fine-Chemicals, Pharmaceutical Products and Bulkdrugs etc.

Registered Site (s):

E-5/16, Krishna Nagar, Delhi - 110051, India.

:: Certificate No :: ICI/3128543/23

Date of initial registration:

21 April 2023

First Surveillance Audit on or before:

21 March 2024

Second Surveillance Audit on or before:

21 March 2025

Re-certification Due:

20 April 2026

This Certificate is property of ICI UK Ltd. and remains valid subject to satisfactory surveillance audits.

Peter Collins

Fx Director

International Certification & Inspection UK Limited. Kemp House, 160 City Road, London, EC1V 2NX, United Kingdom





To check validity of the certificate please visit at www.ici-uk.co

This certification of registration is issued by International Certification & Inspection UK Limited accredited with Accreditation Board For Certification bodies (www.ab-cb.org). This certificate remains the property of International Certification & Inspection UK Limited and must be returned upon request.



# **ACEBROHIT 200 SR** Capsules

Each Uncoated Sustained Release Tablet Contains: Acebrophylline 200mg + Excipients q.s.

# 10x10

M.R.P.₹ 215/-



### Indication:

Acebrophylline is used in the treatment and prevention of chronic obstructive pulmonary disease. Acebrophylline is a mucolytic and bronchodilator. It works by relaxing the muscles of the airways and also thins and loosens mucus, making it easier to breathe.

### Dosage:

Directed by the physician

# Aceclosum-P TABLETS

(Each film coated tablet contains: Aceclofenac IP 100 mg. + Paracetamol IP 325 mg.

20x10



### Indication:

- ▶ Relaxes the muscles and removes the muscular spasm
- ► Increase the mobility of involved muscle and relieves pain

### Dosage:

One tablet twice a day.

# Aceclosum-P TABLETS

(Each fim coated tablet contains: Aceclofenac IP 100 mg. + Paracetamol IP 325 mg.

# 20x10

M.R.P.₹ 85/-



### Indication:

- ▶ Gives relief from pain and inflamation
- ► Combination is very effective in joints pain and swelling

### Dosage:

One tablet twice a day.

# Aceclosum-S TABLETS

Each film coated tablet contains: Serritiopeptidase IP 10mg Aceclofenac IP 100 mg. + Paracetamol IP 325 mg.

20x10

M.R.P.₹ 120/-



### Indication:

► Aceclofenac+Paracetamol+Serratiopeptidase is used for pain relief. It relieves pain in conditions like headache, mild migraine, musculoskeletal pain or painful menses.

### Dosage:

One tablet twice a day.



# Aceclosum MR TABLETS

Each film coated tablet contains: Aceclofenac IP 100 mg. + Paracetamol IP 325 mg. + Chlorzoxazone USP 250 mg.

# 20x10



### Indication:

- ▶ Relaxes the muscles and removes the muscular spasm
- ▶ Increase the mobility of involved muscle and relieves pain

### Dosage:

One tablet twice a day.

# Acetycin-600 TABLETS

Each film coated tablet Contains: N-Acetylcysteine BP 600 mg + Excipients q.s.

10x10

M.R.P.₹ 240/-



### Indication:

- ► Acute Respiratory infections
- ► Pulmonary tuberculosis
- ► Chronic bronchitis
- ▶ Bronichial asthma

### Dosage:

Directed by the physician

# **Aceclosum SP**

TABLETS

Each film coated tablet contains: Aceclofenac IP 100 mg. + Paracetamol IP 325 mg +Serritiopeptidase IP 15mg

20x10



### Indication:

- ▶ Helps better control over dental pain and joint pain
- ▶ ideal for those painful conditions where pus and swelling is involved.

### Dosage:

One tablet twice a day.

# Acetycin-T TABLETS

Each Film Coated Tablet Contains: N-Acetylcysteine USP 150 mg + Taurine USP 500 mg + Excipients q.s.

10x10

M.R.P.₹ 160/-



### Indication:

- ► Acute Respiratory infections
- ▶ Pulmonary tuberculosis
- ▶ Chronic bronchitis
- ▶ Bronichial asthma

### Dosage:



# Acetycin-AC TABLETS

Each Film Coated Tablet Contains: N-Acetylcysteine 100mg + N-Acetyl Cysteine BP 600 mg + Excipients q.s. Colour: Sunset Yellow FCF

# 10x10

M.R.P.₹ 265/-



### Indication:

- ► Acute Respiratory infections
- ▶ Pulmonary tuberculosis
- ► Chronic bronchitis
- ▶ Bronichial asthma

### Dosage:

Directed by the physician

### Amlosum-5 TABLETS

Each Uncoated tablet contains: Amlodipine Besylate Tablets IP eq. to Amlodipine 5mg.

# 10x5x10

M.R.P.₹ 28/-



\*Amlodipine is used alone or in combination with other medications to treat high blood pressure in adults and children 6 years and older. It is also used t o treat certain types of angina (chest pain) and coronary artery disease (narrowing of the blood vessels that supply blood to the heart).

### Dosage:

Directed by the physician

# AMLOSUM AT TABLETS

Each uncoated tablet contains: Amlodipine Besylate IP Eq. to Amlodipine 5 mg + Atenolol IP 50 mg + Excipients q.s.

# 20x10

M.R.P.₹ 62/-



### Indication:

 $\mbox{\/}$  Amlodipine is used alone or in combination with other medications to treat high blood pressure in adults and children 6 years and older. It is also used to treat certain types of angina (chest pain) and coronary artery disease (narrowing of the blood vessels that supply blood to the heart).

### Dosage:

Directed by the physician

### A-to-Full TABLETS

Antioxidants, Multivitamin, Multimineral, Cyanocobalamin & L-Lysine HCL Tablet

20X15

M.R.P.₹ 180/-



### Indication:

- ► Anti-oxidant that fight free radicals damaging effect
- ► Improves Physical & Mental Stamina
- Boosts immune system

### Dosage:



# Azisum-500 TABLETS

Each film coated tablet contains: Azithromycin IP 500 mg.



10x1x3





### Indication:

- A macrolide antibiotic agent, it works by stopping the growth of bacteria
- ► Effective against wide range of pathogens

### Dosage:

Directed by the physician

# Alpha Ketolog TABLETS

Each film tablet contains:

Alpha Ketoanalogues & Essential Amino Acid Tablets

# 10x10



### Indication:

Alpha Ketoanalogue is used in the treatment of chronic kidney disease. Alpha Ketoanalogue belongs to a class of drugs called nutritional supplements. It follows same catabolic pathways as amino acids and works by improving the metabolism of protein in the body, thereby improving the renal function

### Dosage:

Directed by the physician

# Azisum-250 TABLETS

Each film coated tablet contains: Azithromycin IP 250 mg.



10x1x6





### Indication:

- A macrolide antibiotic agent, it works by stopping the growth of bacteria
- ► Effective against wide range of pathogens

### Dosage:

Directed by the physician

### Atova-Sure 10 TABLETS

Each film coated tablet contains: Atorvastatin Calcium IP Eq. to Atorvastatin 10 mg  $\pm$  Excipients q.s.



### Indication:

- ► Reduce the risk of heart attack and stroke.
- Helpful as on aggressive lipid lowering therapy.

### Dosage:



# Atova-Sure 20 TABLETS

Each film coated tablet contains: Atorvastatin Calcium IP Eq. to Atorvastatin 20 mg + Excipients q.s.

# 20x10



### Indication:

- ▶ Reduce the risk of heart attack and stroke.
- Helpful as on aggressive lipid lowering therapy.

### Dosage:

Directed by the physician

# A-Moxum CLAV 375 TABLETS

Each Film coated tablet contains: Amoxycillin Trihydrate IP 200 mg. Potassium clavulanate Diluted IP 125

10x6



### Indication:

- ► Clavulanic acid increases the activity of amoxycillin
- ▶ Used to treat ENT infections & pneumonia
- ► Effective in urinary tract infections and skin infections

### Dosage:

One tablet twice a day.

# Atova-Sure 40 TABLETS

Each film coated tablet contains: Atorvastatin Calcium IP Eq. to Atorvastatin 40 mg + Excipients q.s.

# 20x10 M.R.P.₹ 240.16/-Atorvastatin Tablets IP

### Indication:

- ▶ Reduce the risk of heart attack and stroke.
- Helpful as on aggressive lipid lowering therapy.

### Dosage:

Directed by the physician

# A-moxum CLAV 625 TABLETS

Each Film coated tablet contains: Amoxycillin Trihydrate IP 500 mg. Potassium clavulanate Diluted IP 125

10x10



### Indication:

- ► Clavulanic acid increases the activity of amoxycillin
- ▶ Used to treat ENT infections & pneumonia
- ► Effective in urinary tract infections and skin infections

### Dosage:

One tablet twice a day.



# Cal-C D3

TABLETS

Each Film-coated tablet contains: Calcium 500 mg. + Vitamin D3 250 I.U





# M.R.P.₹ 105/-

### Indication:

• used to treat conditions caused by low calcium levels such as bone loss (osteoporosis), weak bones (osteomalacia/ rickets), decreased activity of the parathyroid gland (hypoparathyroidism), and α certain muscle disease (latent tetany).

### Dosage:

Directed by the physician

### Cefixum-OF TABLETS

Each film coated tablet contains: Cefixime IP 200 mg. + Ofloxacin IP 200 mg.



# 10x1x10

M.R.P.₹ 360/-

### Indication:

▶ Cefixime+Ofloxacin belongs to a group of medications called 'cephalosporin antibiotics' primarily used for the treatment of a wide range of bacterial infections of the skin, ears, lungs, prostate and urinary tract.

### Dosage:

Directed by the physician

# Cefixum-200 TABLETS

Each uncoated tablet contains: Cefixime IP 200 mg.

# 10x10

M.R.P.₹ 120/-



### Indication:

- ► Urinary Tract Infection
- ▶ Upper & Lower respiratory tract infections
- ▶ Typhoid & paratyphoid fever

### Dosage:

Directed by the physician

### Cefodoxum 200 TABLETS

Each Film coated tablet contains: Cefpodoxime Proxetil IP 200 mg.



# 10x1x10

M.R.P.₹ 305/-

### Indication:

- ► Clinical cure rate: 90.3% in Pharryngotonsillitis
- ► Drug choice in treatment of most URTIs

### Dosage:



# Cefuroxum 500 TABLETS

(Each Film coated tablet contains: Cefuroxime Axetil 500 mg.)

# 10x10

M.R.P.₹ 576/-



### Indication:

▶ Cefuroxime is used to treat certain infections caused by bacteria, such as bronchitis(infection of the airway tubes leading to the lungs); gonorrhea (a sexually transmitted disease); Lyme disease (an infection t hat may develop after a person is bitten by a tick); and infections of the skin, ears, sinuses, throat

### Dosage:

Directed by the physician

### Cetsum-Plus TABLETS

Each uncoated tablet contains: Cetirizine HCL I.P 5MG + Phnylephrin HCL I.P 5MG + Paracetamol I.P 325MG (Tartrazine)

# 6x5x10



► Cetirizine+paracetamol+phenylephrine Is Primarily Used To Treat The Common Cold And Allergy Symptoms Such As Runny Nose, Blocked Nose, Sneezing, Congestion, Pain & Fever.

### Dosage:

Directed by the physician

# Cetirizine TABLETS

Each film coated tablet contains: Cetirizine HCI IP 10 mg. (colour: Titanium Dioxide I.P.)

50x10

M.R.P.₹ 20/-



### Indication:

- ▶ Potent antihistaminic HI action
- ▶ Does not cross Blood brain Barrier

### Dosage:

Directed by the physician

# Chymosum Forte TABLETS

Each Enteric-Coated Tablet Contains: 1,00,000 Armour Unit of enzymatic Activity (Supplied by a Purified Concentrate Which has Specific Trypsin and Chymotrpsin Activity In a Ratio of Approximately Six to One)

10x20

M.R.P.₹ 465/-



### Indication:

▶ Trypsin - Chymotrypsin is a combination medicine generally used to treat swelling.

### Dosage:



# Cartiric-DN TABLETS

Each Film coated tablet Contains: Diacerein IP 50 mg + Excipients q.s. Glucosamine Sulfate Pottassium Chloride usp 750 mg. methylsulfonylmethane usp 250 mg



### Indication:

► Crystalline glucosamine sulfate and diacerein are commonly used for treatment of symptomatic mild to moderate knee OA to relieve joint pain and delay joint destruction and cartilage loss.


### Dosage:

Directed by the physician

### Drotisum-M TABLETS

(Each film coated tablet contains: Drotaverine Hydrochloride 80 mg. + Mefenamic Acid I.P 250MG





- ► Drotaverine provides direct, specific & fast action smooth muscle
- ▶ Mefenamic Acid with its anti-inflammatory action provides relief from pain

### Dosage:

Directed by the physician

# Deflasum-6 TABLETS

Deflazacort-6mg Tablets

# 10x10

M.R.P.₹ 170/-



# Indication:

- ► Possesses powerful anti-inflammatory action
- Improve pulmonary function and manages acute moderate astham in children.

### Dosage:

Directed by the physician

# Dyspas-Plus TABLETS

Each unoated Tablet Contains: Paracetamol IP 325 mg + Dicyclomine HCI 10mg

4x5x10

M.R.P.₹ 57/-



### Indication:

► Dicyclomine+Paracetamol is used in the treatment of abdominal pain. It relieves abdominal pain that is associated with biliary colic, intestinal colic, renal colic and dysmenorrhea. Dicyclomine + Paracetamol is a combination of two medicines: dicyclomine and paracetamol, which relieves abdominal pain and cramps.

### Dosage:



# Diclosum-Plus TABLETS

Each uncoated tablet contains:

Diclofenac Potassium I.P 50MG + Paracetamol I.P 325 Excipients q.s.

# 20x10



▶ Relief from, Muscular pain, Headache, Back pain, Pain due to s prain, Badyache, Toothache, Joints pain, Menstrual pain.

### Dosage:

Directed by the physician

# Ferosum-XT TABLETS

Each Film coated tablet contains: Ferrous Ascorbate 100 mg. + Folic Acid 1.5 mg.





### Indication:

- ▶ Provides highes iron
- ▶ Safe and better tolerated than conventional iron salt

### Dosage:

Directed by the physician

### **Folisum** TABLETS

Each uncoated tablet contains: Folic acid IP 5mg.

# 20x30



### Indication:

- ► Suerior Haematinic
- ▶ Help prevent Birth defects of baby brain & spinal cord

### Dosage:

Directed by the physician

### Fexino-120 TABLETS

Each film coated tablet Contains: Fexofenadine Hydrochloride IP 120 mg + Excipients q.s

# 10x10



### Indication:

- ► Fexofenadine anti histaminic-Anti allergic
- inhobitis antigen induced bronchospasm


### Dosage:



# Fexino-180 TABLETS

Each film coated tablet Contains: Fexofenadine Hydrochloride IP 180 mg + Excipients g.s

# 10x10



### Indication:

- ► Fexofenadine anti histaminic-Anti allergic
- $_{\blacktriangleright}$  inhobitis antigen induced bronchospasm

### Dosage:

Directed by the physician

# Ketopal-DT TABLETS

Each uncoated dispersible tablet contains: Ketorolac Tromethamine IP 10 mg + Excipients q.s.

### 10x15



- ▶ Superior in post-operative acute pain
- ▶ Excellent efficacy in acute dental pain

### Dosage:

Directed by the physician

# Fexino-M TABLETS

Each fim coated tablet contains: Fexofenadine Hydrochloride I.P. 120 mg + Montelukast Sodium I.P. Eq. to Montelukast 10 mg + Excipients q.s.



### Indication:

- ▶ Well tolerated and has a favourable safety profile
- ► Exhibits favourable effect on nasal congestion

### Dosage:

Directed by the physician

# Linzosum-600

Each film coated tablet Contains: Linzolid IP 600mg. Excipients q.s.

# 10x1x10





### Indication:

Linezolid is used to treat certain bacterial infections in many different parts of the body, including certain types of skin infections or pneumonia. Linezolid belongs to the family of medicines called antibiotics. It works by killing bacteria or preventing their growth.

TABLETS

### Dosage:



# Levo-Ctzin

**TABLETS** 

Composition Levocetirizine Dihydrochloride 5mg

# 20x10



### Indication:

 $\mbox{\Large Levocetirizine}$  is used to relieve the symptoms of hay fever and hives of the skin. It is an antihistamine that works by preventing the effects of a substance called histamine, which is produced by the body. Histamine can cause itching, sneezing, runny nose, and watery eyes.

### Dosage:

Directed by the physician

### Medisum's Nimu Para TABLETS

(Each film coated tablet contains: Nimesulide BP 100 mg. + Paracetamol 325 mg. (GOLDEN)

20x10

M.R.P.₹ 50/-



▶ Potent analgesic action Faster onset of action than plain nimesulide control fever within 30minutes sustained antiinflammatory action

### Dosage:

Directed by the physician

### Lorsum TABLETS

Each uncoated tablet contains: Loratadine USP 10 mg

### 20x10



### Indication:

lacktriangle Loratadine is used to temporarily relieve the symptoms of hay fever (allergy to pollen, dust, or other substances in the air) and other allergies. These symptoms include sneezing, runny nose, and itchy eyes, nose, or throat. Loratadine is also used to treat itching and redness caused by hives.

### Dosage:

Directed by the physician

### Medisum's Para TABLETS

Each Uncoated Tablet Contains: Paracetamol IP 500 mg

# 10x5x10

M.R.P.₹ 8.96/-



### Indication:

▶ Possession effective analgesic & antipyretic properties

### Dosage:



# Medisum's Para TABLETS

(Each Uncoated Tablet Contains: Paracetamol IP 650 mg

# 10x5x10

M.R.P.₹ 9.93/-



▶ Possession effective analgesic & antipyretic properties

### Dosage:

Directed by the physician

# Monturic-LC TABLETS

Each Film coated tablet contains:

Montelukast SodiumIP 10 mg. + Levocetirizine HCI IP 5 mg.

# 20X1x10







### Indication:

- ► Reduces broncho constriction caused by the leukotrine
- ► Control early as well as late phase of all allergic rhinitis

### Dosage:

Directed by the physician

# Monturic-L TABLETS

Each Film coated tablet contains: Montelukast SodiumIP 10 mg. + Levocetirizine HCI IP 5 mg.

# 20X10



- ▶ Reduces broncho constriction caused by the leukotrine
- ► Control early as well as late phase of all allergic rhinitis

### Dosage:

Directed by the physician

# Mefsum-Spas TABLETS

Mefananic acid 250mg + Dicyclomine HCL IP 10mg

# 5x4x10

M.R.P.₹ 60/-



- ▶ Potent trusted anti-inflammatory & analgesic
- ▶ Reduce contractions of muscles in the intestine

### Dosage:



# Neksomed-40

TABLETS

Each enteric coated tablet contains: Esomeprazole Magnesium Trihydrate IP Equivalent to Esomeprazole 40 mg + Excipients q.s.

# 10X10

M.R.P.₹ 140/-





25x1x30

### Indication:

- ▶ Stomach & Duodenal Ulcers
- ▶ Zollinger Ellison Syndrome
- ▶ Peptic ulcer
- ► Gastric Bleeding

### Dosage:

Directed by the physician

# Neurostay Forte TABLETS

(TAB OF VIT B WITH VITAMIN B12 APPROVED FORMULA)





### Indication:

► Vitamin B12 is a nutrient that helps keep your body's blood and nerve cells healthy and helps make DNA, the genetic material in all of your cells. Vitamin B12 also helps prevent megaloblastic anemia, a blood condition that makes people tired and weak.

### Dosage:

Directed by the physician

# **Neurostay**

**TABLETS** 

Vitamin B1 + Nitrate Vitamin B6 HCI Vitamin B12 with zinc Tablets

# 10x5x10

M.R.P.₹ 10/-



### Indication:

lacktriangle Vitamin B12 is a nutrient that helps keep your body's blood and nerve cells healthy and helps make DNA, the genetic material in all of your cells. Vitamin B12 also helps prevent megaloblastic anemia, a blood condition that makes people tired and weak.

### Dosage:

Directed by the physician

# Neurostay-LC Forte TABLETS

Calcium Citrate Maleate 500mg L Carnitine 500mg Calcitriol .025 mcg Methylcobalamin 1500mcg Folic Acid 5mg Tocotrienols(50%) 60mg Vitamin K27 45mcg Magnesium Bisglycinate 250mg Zinc 50mg Omega 3 Fatty Acids 150mg Arginine 200mg

# 10x1x10



### Indication:

▶ L-Carnitine, Methylcobalamin & Folic Acid tablets effectively used to treat serveral conditions caused due to lack of vitamins like anamia, seizures, peripheral neuropathy, homocystinuria, hyperoxaluria, hyperhomocysteinemia and cyanide posioning.

### Dosage:



# Nimumed Cold Flu TABLETS

Each Uncoated tablet contains: Nimesulide BP 100 mg. + Phenylephrine Hydrochloride IP 5 mg + caffeine IP 30mg cetirizine Hydrochloride IP 5 mg

# 20X10



 Potent combination of analgesic & antipyretic, antihistamine and decongestant

### Dosage:

Directed by the physician

# Oflosum-200 TABLETS

Each Film coated tablet contains: Ofloxacin IP 200 mg.

# 20x10



### Indication:

▶ Highly effective & well tolerated bacterial flouroquinolone.

### Dosage:

Directed by the physician

# Norflosum-TZ TABLETS

Each film cotaed tablet contains: Norfloxacin 400mg & Tinidazole 600mg

# 20x10



### Indication:

 Co-administration of norfloxacin (NFX) and tinidazole (TNZ) has been used for the treatment of gastrointestinal and urinary tract infections.

### Dosage:

Directed by the physician

# Oflosum-200 TABLETS

Each Film coated tablet contains: Ofloxacin IP 200 mg.

# 20x10



# Indication:

▶ Highly effective & well tolerated bacterial flouroquinolone.

### Dosage:



# Oflosum-OZ TABLETS

Each Film coated tablet contains:
Ofloxacin IP 200 mg. + Ornidazole 500mg

# 20x10



▶ Ofloxacin + Ornidazole is used to treat diarrhoea caused by mixed infections, gynecological infections, dental infections, ENT infections, and skin and soft tissue infections.

### Dosage:

Directed by the physician

### Pentotek-40 TABLETS

(Each uncoated tablet contains: Pantoprazole Sodium IP eq. to Sodium IP eq. to Pantoprazole 40 mg.

# 20x10



### Indication:

- ► A potent PPI with durable enzyme inhibition
- ► Highly valuable in acute treatment of active peptic ulcer

### Dosage:


Directed by the physician

# Ondisum-MD

TABLETS

(Each uncoated Orally Disintegrating tablets contains: Ondansetron Hydrochloride I.P. 4 mg.

# 20X10



### Indication:

- ▶ Specialised mechanism of action
- ► Effective & rapid control on the symptoms of nausea & vomiting

### Dosage:

Directed by the physician

### Pentotek-D TABLETS

Each enteric coated tablet contain:
Pantoprazole I.P 40MG+Domperidone I.P 10MG
(colour : Yellow Oxide of iron

# 20x10



### Indication:

► Effectively heals ulcers & heartburn associated with gastro oedophageal reflux, nausea, vomiting, dyspepsia, flatulence

### Dosage:



# Raninol-150 TABLETS

Each film Coated tablet Contains: Ranitidine Hydrochloride I.P Equivalent to Ranitidine 150MG. (Colours: Sunset Yellow Lake &Titanium Dioxide I.P.



20x30

M.R.P.₹ 49.50/-



### 100

Indication:

- ▶ Relieves heartburn & acid indigestion
- ▶ Fast acting
- ▶ All day or all night relief

### Dosage:

Directed by the physician

### Raxisum-400 TABLETS

Each Film Coated Tablet Contains: Rifaximin Ph.Eur 400 mg + Excipients q.s.

# 10x1x10







### Indication:

- ► Show low risk of inducing bacterial resistance
- ► Shorten the duration of diarrhea without significant effect on normal gut flora

### Dosage:

Directed by the physician

# Raninol-DM TABLETS

Each film Coated tablet Contains: Ranitidine Hydrochloride I.P Equivalent to Ranitidine 150MG. and Dompridone 10 mg

# 20x10



### Indication:

- ▶ Relieves heartburn & acid indigestion
- ► Fast acting
- ▶ All day or all night relief

### Dosage:

Directed by the physician

### Raxisum-550 TABLETS

Each Film Coated Tablet Contains: Rifaximin Ph.Eur 550 mg + Excipients q.s.

# 10x1x10



### Indication:

- ► Show low risk of inducing bacterial resistance
- ► Shorten the duration of diarrhea without significant effect on normal gut flora

### Dosage:



### Ramiril-5 TABLETS

Each film coated tablet contains: Ramipril IP 5mg + Excipients g.s.



### Indication:

- ► Significant reduction in risk of total by 24% VS placebo
- ► Significant reduce risk of cardicovascular events by 25% placbo
- ▶ Significant reduction by 22% in composite o mi, stroke or cv death in high risk patients vs placebo

### Dosage:

Directed by the physician

# Telmihit-H TABLETS

Each film coated tablet contains:

Telmisartan IP 40 mg + Hydrochlorothiazide IP 12.5 mg + Excipients q.s.

# 10x10



### Indication:

► Telmisartan and hydrochlorothiazide combination is used to treat high blood pressure (hypertension). High blood pressure adds to the workload of the heart and arteries. If it continues for a long time, the heart and arteries may not function properly.

### Dosage:

Directed by the physician

# Ramiril-2.5 TABLETS

Each film coated tablet contains: Ramipril IP 2.5 mg + Excipients g.s.



### Indication:

- ► Significant reduction in risk of total by 24% VS placebo
- ► Significant reduce risk of cardicovascular events by 25% placbo
- ightharpoonup Significant reduction by 22% in composite o mi, stroke or cv death in high risk patients vs placebo

### Dosage:

Directed by the physician

### Telmihit-AM TABLETS

Each film coated tablet contains: Telmisartan IP 40 mg + Amlodipine Besylate IP Eq. to Amlodipine 5 mg + Excipients q.s.

10x10



### Indication:

► Telmisartan and amlodipine is a combination of medicines that may be used alone or with other medicines to treat high blood pressure (hypertension). High blood pressure adds to the workload of the heart and arteries. **Dosage:** 



# Telmihit-40 TABLETS

Each film coated tablet contains: Telmisartan IP 40 mg + Excipients q.s.

# 10x10



### Indication:

► Telmisartan is used alone or together with other medicines to treat high blood pressure (hypertension). High blood pressure adds to the workload of the heart and arteries. If it continues for a long time, the heart and arteries may not function properly.

### Dosage:

Directed by the physician

### Trexum-Mf TABLETS

Each film coated tablet contains:

Tranexamic Acid IP 500 mg +Mefenamic Acid IP 250 mg + Excipients q.s.

### 10x10





### Indication:

 Mefenamic Acid+tranexamic Acid Is A Combination Medicine Used To Treat Dysmenorrhea (period Pain) And Menorrhagia (heavy Menstrual Bleeding).

### Dosage:

Directed by the physician

# Terbihit-250 TABLETS

Each uncoated tablet contains: Terbinafine Hydrochloride USP Eq. to Terbinafine 250 mg + Excipients q.s.



10x1x7





### Indication:

Fungicidal against dermatophytes, moulds and certain fungi highly kerainophilic with a bioavailability of 70% to 80% treatment of choice with in the therapy of onychomycosis because of effectiveness well tolerated with low potential for drug interactions

### Dosage:

Directed by the physician

# Trexum-500 TABLETS

Each film coated tablet contains:
Tranexamic Acid IP 500 mg + Excipients q.s.

10x10





### Indication:

Tranexamic acid is a medication that stops blood clots from breaking down or delays the process.

### Dosage:



# Tamsulosum-0.4 TABLETS

Each film coated tablet contains Tamsulosin Hdyrochloride IP 0.4 mg (As Modified Release) + Excipients q.s.

# 20x10

M.R.P.₹ 125/-



### Indication:

▶ Tamsulosin is used in men to treat the symptoms of an enlarged prostate (benign prostatic hyperplasia or BPH) which include difficulty urinating (hesitation, dribbling, weak stream, and incomplete bladder emptying), painful urination, and urinary frequency and urgency.

### Dosage:

Directed by the physician

### Udisum-150 TABLETS

Ursodeoxycholic acid tablets ip 150 mg



### mulcation.

• Ursodeoxycholic acid is a medication used in the management and treatment of cholestatic liver disease. This activity reviews the indications, mechanism of action, and contraindications for UDCA as a valuable agent in managing liver disease.

### Dosage:

Directed by the physician

# Tamsulosum-D

TABLETS

Each film coated tablet contains
Tamsulosin HCl IP 0.4 mg + Dutasteride 0.5 mg

# 20x10

M.R.P.₹ 215/-



### Indication:

Tamsulosin is used in men to treat the symptoms of an enlarged prostate (benign prostatic hyperplasia or BPH) which include difficulty urinating (hesitation, dribbling, weak stream, and incomplete bladder emptying), painful urination, and urinary frequency and urgency.

### Dosage:

Directed by the physician

### Udisum-300 TABLETS

Each Film coated tablet contains: ursodeoxycholic acid IP 300mg



# 10x1x15

M.R.P.₹ 819/-

### Indication:

Ursodeoxycholic acid is a medication used in the management and treatment of cholestatic liver disease. This activity reviews the indications, mechanism of action, and contraindications for UDCA as a valuable agent in managing liver disease.

### Dosage:



# Usumzyme TABLETS

Ayurvedic Enzyme)



### Indication:

► These tablets contain a mixture of vegetarian enzymes developed to promote nutrient bio-availability and absorption. Digestive enzymes are specific agents that help transform the food we eat into the nutrition our bodies need.

### Dosage:

Directed by the physician

### Vildamed-M 500 TABLETS

Each Film Coated Tablet Contains: Vildagliptin 50 mg  $\,+\,$  Metformin Hydrochloride IP 500 mg  $\,+\,$  Excipients q.s.



Metformin+Vildagliptin acts by decreasing the amount of glucose absorbed from the intestine, lowering the amount of sugar created by the liver, and facilitating the entry of sugar into the cells.

### sage:

Directed by the physician

# Vildamed-50

TABLETS

Each Uncoated Tablet Contains: Vildagliptin 50 mg + Excipients q.s.

# 10x15



► Vildagliptin is indicated in the treatment of type II diabetes mellitus in adults.

### Dosage:

Directed by the physician

### Vildamed-M Forte TABLETS

Each Film coated Tablet Contains: Vildagliptin 50 mg + Metformin Hydrochloride IP 1000 mg + Excipients q.s.





► Metformin+Vildagliptin acts by decreasing the amount of glucose absorbed from the intestine, lowering the amount of sugar created by the liver, and facilitating the entry of sugar into the cells.

### Dosage:



# **Vovemed MR** TABLETS

(Each uncoated tablet contains: Diclofenac Potassium BP 50 mg. + Paracetamol IP 325 mg. + Chlorzoxazone USP 250 mg.)

# 20x10

M.R.P.₹ 97/-



### Indication:

 Diclofenac+paracetamol & Chrozoxazone belongs to a class of medications known as a non-steroidal anti-inflammatory drug (nsaid) or pain killer.

### Dosage:

Directed by the physician

# Vovemed-SP TABLETS

Each film coated tablet contains : Diclofenac Potassium BP 50 mg + Paracetamol IP 325 mg + Serratiopeptidase IP 10 mg (eq. to 20,000 Serratiopeptidase units)







# Indication:

 Diclofenac+paracetamol & Serrationpeptidase belongs to α class of medications known as α non-steroidal anti-inflammatory drug (nsaid) or pain killer.

# Dosage:

Directed by the physician

# **Vovemed Plus**

**TABLETS** 

(Diclofenac Sodium I.P 50MG + Paracetamol I.P 325

20x10

M.R.P.₹ 55/-



### Indication:

Diclofenac+Paracetamol is used for pain relief. It relieves pain in conditions like headache, mild migraine, muscle pain, dental pain, rheumatoid arthritis, ankylosing spondylitis, osteoarthritis, or painful menses.

### Dosage:

Directed by the physician

# Vovemed-50 TABLETS

Each Enteric coated tablet contains: Diclofenac Sodium IP 50 mg.

10x5x10

M.R.P.₹ 24/-



### Indication:

 Diclofenac is used to relieve mild to moderate pain and swelling (inflammation) from various conditions such as headache, dental pain, menstrual cramps, and muscle aches.

### Dosage:

# **CAPSULES**



# **ACEBROHIT -100**

Capsules

Each hard gelatin capsule contains: Acebrophylline 100 mg + Excipients q.s.

10x10



▶ Acebrophylline is used in the treatment and prevention of chronic obstructive pulmonary disease. Acebrophylline is  $\boldsymbol{\alpha}$ mucolytic and bronchodilator. It works by relaxing the muscles of the airways and also thins and loosens mucus, making it easier to breathe.

# Dosage:

Directed by the physician

# Ferifol-Z CAPSULES

Each hard gelatin capsule contains: Carbonyl Iron, Zinc Sulphate & Folic Acid Capsules

20x15

M.R.P.₹ 135/-



### Indication:

► Carbonyl iron treats or prevents iron deficiency and iron deficiency anemia. Folic acid is required for production of red blood cells. It prevents and treats folate deficiency and anemia. Zinc sulfate works as a source of zinc that is needed for the body's immune system to work properly.

### Dosage:

Directed by the physician

# Doximed-LB CAPSULES

Each hard gelatin capsule Contains: Doxycycline hyclate IP 100 mg + lactic acid bacillus 5 billion spores Excipients q.s.

10x10

M.R.P.₹ 180/-



### Indication:

- ▶ Acne Rosacea
- ► Acne Vulgoris
- ► Sexual transmitted
- ▶ Diseases
- ▶ other baterial infection

# Dosage:

Directed by the physician

# Itroric-100 CAPSULES

Each hard gelatin capsule contains: Itraconazole BP 100 mg (In the pellets form) + Excipients q.s.



# 10x1x10 M.R.P.₹ 195/-

### Indication:

- ► Aspergillosis
- ► Cryptococcosis
- ► Mycosis

### Dosage:

Directed by the physician

ITRORIC-100

- ► Sporotrichosis
- ► Candidiasis



# Itroric 200 CAPSULES

Each hard gelatin capsule contains: Itraconazole BP 200 mg (In the pellets form) + Excipients q.s.



10x1x10

M.R.P.₹ 320/-

### Indication:

- ► Aspergillosis
- ► Cryptococcosis
- ▶ Mycosis


### Dosage:

Directed by the physician

- ► Sporotrichosis
- ► Candidiasis

# Methycomed-Plus CAPSULES

Each hard gelatin capsulee contains: Methylcoban 1500mcg + Alpha Lipoic Acid 100MG + Folic Acid 1.5MG+Thiamine Mononitrate I.P. 10MG+ Pyridoxine Hydrochloride I.P 3 MG



10x1x10

M.R.P.₹ 198/-

### Indication:

▶ Alpha-lipoic acid and methylcobalamin work by replenishing the body's stores of important nutrients. Alpha Lipoic Acid+ methylcobalamin can also prescribe for the treatment of bone abnormalities, neurological problems and blood clotting problems.

### Dosage:

Directed by the physician

# Medisum B Complex CAPSULES

Thiamine Mononitrate, Riboflavine, Pyridoxine Hydrochloride, Niacinamide, Cyanocobalamin, Calcium Pantothenate, Folic Acid & Ascorbic Acid Capsules

20x15







- ▶ Regulates the metabolism of carbohydrates, fat & protein
- ▶ Builds immunity
- ▶ overcomes fatigue & replenishes vital nutrients

### Dosage:

Directed by the physician

# Neksomed-DSR CAPSULES

Each hard gelatin capsule contains: Esomeprazole Magnesium Trihydrate IP eq. to Esomeprazole 40 mg (as enteric coated pellets) + Domperidone IP 30 mg (10 mg as immediate release & 20 mg as sustained release pellets)

10x10



### Indication:

- ▶ Peptic ulcer
- ▶ Stomach & Duodenal Ulcers
- ▶ Zollinger Ellison Syndrome
- ▶ Gastric Bleeding

### Dosage:

# **CAPSULES**



### Omeesum CAPSULES

Each hard gelatin capsule contain: Omeprazole I.P 20MG

20x20

M.R.P.₹ 61.04/-



### Indication:

- ▶ In Gastro oesophageal reflux diseas
- ▶ In gastro ulcers

### Dosage:

Directed by the physician

# Omeesum-D CAPSULES

Each hard gelatin capsule contains: Omeprazole IP 20mg (As enteric- coated pellets) + Domperidone IP 10 mg (As pellets) + Excipients q.s.



### Indication:

- ▶ In Gastro oesophageal reflux diseas
- ▶ In gastro ulcers

### Dosage:

Directed by the physician

### Omeesum capsules

Each hard gelatin capsule contain: Omeprazole I.P 20MG

20x20

M.R.P.₹ 61.04/-



**BROAD** STRIP

### Indication:

- ▶ In Gastro oesophageal reflux diseas
- ► In gastro ulcers

### Dosage:

Directed by the physician

# Pantotek-DSR CAPSULES

Each hard gelatin capsule contains: Pantoprazole Sodium Sesquihydreate IP 40 mg. + Domperidone IP 30 mg.)



### Indication:

- ▶ Combination therapy is highly effective in GERD and acid secretion
- ▶ Domperidone controls nausea and vomiting

### Dosage:

# **CAPSULES**



# PG-Win M CAPSULES

Each hard gelatin capsule contains: Pregabalin IP 75 mg + Methylcobalamin IP 750 mcg + Excipients g.s.

# 10X1x10



### Indication:

- An Anticonvulsant shown to help with certain type of nerve pain
- ▶ Act as neuroprotectives, promotes myelination neurons

### Dosage:

Directed by the physician

# Rabisum-DSR CAPSULES

Each hard gelatin capsule contains: Rabeprazole Sodium IP 20 mg. + Domperidone 30 mg.)



- Domperidon provides 24 hours long relief from nausea and vomiting.
- ▶ Rabeprazole effectively stops excess acid secretion

### Dosage:

Directed by the physician

# Probioric CAPSULES

Energy  $0.468~{\rm Kcal} + {\rm Carbohydrate}~0.117~{\rm g} + {\rm Protein}~0.00~{\rm g} + {\rm Fat}~0.00~{\rm g} + {\rm Probiotic}~({\rm Blend}~{\rm of}~{\rm Lactobacillus}~{\rm Acidophillus},~{\rm Lactobacillus},~{\rm Rhamnosus},~{\rm Bifidobacterium}~{\rm Longum},~{\rm Sacchromyces}~{\rm Boulardii.}) + {\rm Fructooligosaccharides}~100~{\rm mg} + {\rm Fungal}~{\rm Amylase}~50~{\rm mg}$ 

10x1x10 M.R.P.₹ 135/-



### Indication:

▶ There is evidence to support probiotic use in bacterial vaginosis, pediatric candidemia and candiduria, diarrhea (eg, acute infectious, antibiotic-associated, persistent), GI surgery, irritable bowel syndrome, necrotizing enterocolitis in neonates, upper respiratory tract infections (URTIs), blood pressure, and ventilator-associated pneumonia.

### Dosage:

Directed by the physician

# Sildosum-8 capsules

Each hard gelatin Capsule Contains: Silodosin 8 mg + Excipients q.s.

10x1x10

M.R.P.₹ 398/-





### Indication:

► Selective alpha 1-A receptor antononist which is primarily located on bladder neck and urethra.

### Dosage:



# Silodosum-Dcapsules

Each hard gelatin Capsule Contains: Silodosin 8 mg + Dutasteride IP 0.5 mg (As uncoated tablet) + Excipients q.s.

# 10x1x10







# Indication:

► Selective alpha 1-A receptor antononist which primarily located on bldder neck and urethra.

# Dosage:

# SOFT GEL CAPSULES



# Comed-Q10 CAPSULES

Each Soft gelatin capsule contains: CO-Enzyme Q10, Lcarnitine Cyanocobalamin, Lycopene, Multivitaimin with DHA, L-Arginine & Green Tea Extract

# 10x1x10







### Indication:

- ► Cardiovascular disease
- ▶ Neurological Disorders

### Dosage:

Directed by the physician

# Gemciric D3 MAX CAPSULES

Calcitriol.O.O5mcg, DHA.12Omg, EPA.18Omg, Boron.1.5mg, Methylcobalamin.500mcg, Folic Acid.400mcg, Calcium Carbonate .500mg



10x1x10

M.R.P.₹ 280/-

### Indication:

- ▶ Prevents bone loss, reduces fracture risk.
- ▶ Important for the absorption and functioning of calcium.
- ▶ Helps in improving brain function.

### Dosage:

As directed by physician.

# Cal-C D3 CAPSULES

Calciferol 60000IU Cap

# 10x1x4







### Indication:


- ▶ Strengthens bones and reduce total fracture rate
- ▶ Prevents & treats osteoporosis & osteoarthritis.
- ▶ Increase absorption of calcium & treats Vitamin D deficiency

### Dosage:

Directed by the physician

### Gemciric CAPSULES

Each Soft gelatin capsule contains: Calcitriol IP 0.25 + Calcium Carbonate 500 mg + Zinc Sulphate Monohydrate 7.5mg.



5x3x15 M.R.P.₹ 280/-

### Indication:

► Calcitriol+calcium carbonate+zinc effectively treats various conditions caused by low calcium levels in the body, such as osteoporosis (weak and brittle bones), osteomalacia/rickets (weak bones), hypoparathyroidism (low levels of parathyroid hormone), and latent tetany (a muscle disease with low blood calcium levels).

### Dosage:

As directed by physician.

# SOFT GEL CAPSULES



# Gemciric K- 2,7 CAPSULES

Each Soft gelatin capsule contains: Calcitriol i.p 0.25mcg+ Calcium Carbonate i.p. 625 mg (equ. To elemental calcium 250mg)+ Vitamin K2-7 45 mg



10x1x15 M.R.P.₹ 195/-



### Indication:

▶ Calcitriol+Calcium Carbonate+Vitamin K2-7 is used in the treatment of calcium deficiency. Calcitriol + Calcium Carbonate + Vitamin K2-7 is a combination of Calcitriol, Calcium Carbonate, and Vitamin K2-7. Calcitriol is the active form of Vitamin D. It raises Vitamin D levels in your blood.

### Dosage:

As directed by physician.

# Medisum's Omega 369 CAPSULES

Each Soft gelatin capsule per serving contains: Omega-3 fatty Acid, Green tea extract, Ginkgo Biloba Ginseng, Grape seed Extract, Antioxidant, Vitamins, Minerals & Trace Elements Softgel Capsules

10x1x10

M.R.P.₹ 150/-





# Indication:

▶ Omega-3 fatty acids are thought to help reduce the risk of heart disease. They have been used along with diet and exercise to help lower levels of a certain blood fat and to raise levels of good cholesterol.

### Dosage:

Directed by the physician

# Medisolute-9G CAPSULES

Capsules of Omega-3 Fatty Acids, Green tea Extract, Ginkgo Biloba, Ginseng, Grape Seed Extract, Antioxidants, Vitamins, Minerals & Trace Elements.



10x1x10





### Indication:

- ▶ Help maintain normal blood cholesterol level
- ▶ Helps maintain a healthy heart and blood circulation
- ▶ CV Disorders, Antibiotic Therapy, Oxidative stress, Imbalanced diet Infertility, General Fatigue & Weakness

Directed by the physician

### **Health Good** CAPSULES

Each Soft gelatin capsule contains: Multivitamin, Multimineral & Antioxidant Softgel Capsules



# 20x1x10





### Indication:

- Improve mental and physical performance
- Increase stamina and builds up healthy tissues
- ► Assists recovery and convalescence from illness
- Prevents illness and premature degeneration of body cell Dosage: Attains optimal immune functioning to fight against diseases

# SOFT GEL/HARD CAPSULES



# **Oxy-Play GM**CAPSULES

Each Soft gelatin capsule contains: Antioxidant, Lycopene, Multivitamin, Minerals, Ginseng & Cyanocobalamin Softgel



10x15

M.R.P.₹ 185/-

### Indication:

Multivitamins are used to provide vitamins that are not taken in through the diet. Multivitamins are also used to treat vitamin deficiencies (lack of vitamins) caused by illness, pregnancy, poor nutrition, digestive disorders, and many other conditions.

### Dosage:

Directed by the physician

# Vitamine-400 CAPSULES

Each Film Softgelatin Capsules Vitamin E-400mg

10X15

\_\_\_\_

M.R.P.₹



► Vitamin E helps maintain healthy skin and eyes, and strengthen the body's natural defence against illness and infection (the immune system).

# Dosage:



# Aceclosum-P SYRIIP

Aceclofenac IP 50mg+Paracetamol IP 125mg



# 60ml.

M.R.P.₹

80/-

### Indication:

▶ Effective control on pain & fever.

### Dosage:

Directed by the physician

# Azisum-100 DROPS

Each 5 ml. Contains: Azithromycin (As Dihydrate) I.P. eq. to Anhydrous Azithromycin 100 mg In  $\alpha$  flavoured suspension base q.s. Colour: Sunset Yellow FCF Contains resine to mask the bitter taste

# 15ml.



# M.R.P.₹ 49.50/-

### Indication:

 $\mbox{\/}$  Azithromycin treats infections caused by bacteria. It belongs to a group of medications called antibiotics. It will not treat colds, the flu, or infections caused by viruses. This medicine may be used for other purposes; ask your health care provider or pharmacist if you have questions.

### Dosage:

Directed by the physician

### Alkarik SYRIIP

Each 5ml. Contains: Disodium Hydrogen Citrate BP 1.25 gm (flavoured syrupy base q.s.) colour Tartrazine)



# 100ml.

M.R.P.₹ 110/-

### Indication:

► Relieves indigestion & helps in easy digestion of food Relieves gas and flatulence

### Dosage:

Directed by the physician

# Azisum-200 DROPS

Each 5 ml. Contains: Azithromycin (As Dihydrate) I.P. eq. to Anhydrous Azithromycin 200 mg In  $\alpha$  flavoured suspension base q.s. Colour: Sunset Yellow FCF Contains resine to mask the bitter taste

# 15ml.



M.R.P.₹ 52.17/-

### Indication:

▶ Azithromycin treats infections caused by bacteria. It belongs to a group of medications called antibiotics. It will not treat colds, the flu, or infections caused by viruses. This medicine may be used for other purposes; ask your health care provider or pharmacist if you have questions.

### Dosage:



# Ban-o-Germina Suspension

(Bacillus Clausii spores suspension



5ml.

M.R.P.₹ 70/-



### Indication:

Bacillus clausii helps treat digestive system disorders like diarrhea, constipation, gastric ulcers, irritable bowel syndrome (IBS), Crohn's disease, colitis, malabsorption syndrome, and more.

### Dosage:

Directed by the physician

# Cetrizine SYRUP

Each 5ml. Contains: Cetirizine Hydrochloride I.P. 5mg. (colour: sunset yellow FCF in a flavoured syrupy base.



# 60ml.

M.R.P.₹ 43.68/-

### Indication:

 Cetirizine prevents and treats allergy symptoms, such as red, itchy eyes, sneezing, a runny or stuffy nose, or hives. + It works by blocking histamine, a substance released by the body during an allergic reaction.

### Dosage:

Directed by the physician

# CAL-C D3 SYRUP

Each 5 ml. contains: Calcium carbonate I.P. 625mg + eq. To elemental calcium 250 mg + vitamin D3 I.P. <math>125 I.U. (colour: Erythrosine), flavoured syrupy base q.s.

# 200ml.



M.R.P.₹ 135/-

### Indication:

is used to treat low blood calcium levels. It effectively treats various conditions in the body like Vitamin D deficiency, osteoporosis, hypoparathyroidism, latent tetany and rickets or osteomalacia.

### Dosage:

Directed by the physician

# Medisum's Enzyme SYRUP

Fungal Diastase & Pepsin Syrup





200ml.

M.R.P.₹

180/-

### Indication:

- ▶ Helps in digestion of starch & carbohydrates
- ▶ Helps to digest protein food

### Dosage:



### Ibusum-P SYRUP

Ibuprofen 100mg + Paracetamol 162.50 mg



60ml.

M.R.P.₹ 80/-

## Indication:

- ► Fever
- ▶ Dental Pain
- ▶ Common Cold & Flu

### Dosage:

Directed by the physician

# Lactosum SYRUP

Each 15 ml contains: Lactulose Concerntrate USP Eq. to Lactulose (66%w/v) 10gm + Aqueous base q.s.



200ml.

M.R.P.₹ 258/-

### Indication:

- ▶ Draw water in into the bowel through osmotic action
- ► Active water retaining action softens stools

### Dosage:

Directed by the physician

### Lactosum SYRUP

Each 15 ml contains: Lactulose Concerntrate USP Eq. to Lactulose (66%w/v) 10gm + Aqueous base q.s.



100ml.

M.R.P.₹ 129.50/-

# Indication:

- ▶ Draw water in into the bowel through osmotic action
- ► Active water retaining action softens stools

### Dosage:

Directed by the physician

# Livermed-Xzyme SYRUP

Enzyme with Liver Tonic



200ml. M.R.P.₹ 225/-



### Indication:

- ▶ Relieves indigestion & helps in easy digestion of food
- ▶ Relieves gas and flatulence

### Dosage:



### Livermed-DS SYRIIP

Liver Tonic Ayurvedic Sryup



### Indication:

- ▶ Relieves indigestion & helps in easy digestion of food
- ▶ Relieves gas and flatulence

#### Dosage:

Directed by the physician

### Medicof-SF SYRUP

Chlorpheniramine maleate 2MG. (antihistamine), Phenylephrine hydrochloride 5MG. (decongestant), and Dextromethorphan hydrobromide 10MG. (cough suppressant).



### Indication:

► Chlorpheniramine +Dextromethorphan + Phenylephrine is a combination of an antihistamine, a cough suppressant, and a decongestant. It is used to treat the symptoms of allergies and the common cold. This medicine will not treat an infection.

### Dosage:

Directed by the physician

#### Levo-Ctzin SYRUP

Levocetirizine Dihydrochloride Syrup Levo-Ctzin

Each 5ml. contains: Levocetirizine Dihydrochloride Syrup

# 60ml. M.R.P.₹ 85/-

### Indication:

► Levocetirizine is used to relieve the symptoms of hay fever and hives of the skin. It is an antihistamine that works by preventing the effects of a substance called histamine, which is produced by the body. Histamine can cause itching, sneezing, runny nose, and watery eyes.

Dosage:

Directed by the physician

### Medifolic SYRUP

Each 5ml. contains: Ferric Ammonium Citrate IP 110 mg. + Cyanocobalamin IP 15 mcg. Folic Acid IP 1.5 mg.(colour Caremel USP-NF), in a flavoured syrupy base.



### 200ml.

M.R.P.₹ 135/-

### Indication:

- ▶ General debility, Iron deficience, Pregnancy & Lactation,
- ▶ Blood loss & Convalescence

### Dosage:



### Medifolic Forte SYRUP

Ferric Ammonium Citrate 160 mg + Cyanocobalamin 7.5 mcg Folic Acid i.p. 0.5 mg + Cupric Sulphate 30 mcg + Maganese Sulphate 30 mcg

Ferc Annonum Citale,
Faic Acid Operocatelar in
Cupic Subtate 8
Manganese Sulphate Synp
MIED IFOLIC
FORTE
Singe

300ml.

M.R.P.₹ 22

225/-

#### Indication:

- ▶ Relieves indigestion & helps in easy digestion of food
- ▶ Relieves gas and flatulence

### Dosage:

Directed by the physician

### Medicof-LS SYRUP

Levosalbutamol 1 Mg +Ambroxol Hcl 30 Mg + Guaiphenesin 50 Mg



100ml.

M.R.P.₹ 140/-

### Indication:

Ambroxol+guaiphenesin+levosalbutamol belongs to the class of medicines called 'expectorants' primarily used to treat cough associated with mucus. Coughing (dry or productive) is the body's way of clearing irritants (like allergens, mucus or smoke) from airways and preventing infection.

#### Dosage:

Directed by the physician

### Medicof-BR SYRUP

Terbutaline Sulphate 2.5mg + Guaiphenesin 100mg + Bromhexine 2 Mg + Menthol 1 Mg



100ml.

M.R.P.₹ 125/-

### Indication:

Bromhexine , Guaifenesin , Menthol and Terbutaline. Bromhexine is a mucolytic which thins and loosens mucus (phlegm), making it easier to cough out.

### Dosage:

Directed by the physician

### Medicof-Junior SYRUP

Each 5ml. Contains: Dextromethorphan Hydrochloride IP 5 mg. + Chlorpheniramine Maleate 2 mg. Phenylephrine Hydrochloride IP 2.5 mg.



60ml.

M.R.P.₹ 90/-

### Indication:

▶ Chlorpheniramine + Dextromethorphan + Phenylephrine is a combination of an antihistamine, a cough suppressant, and a decongestant. It is used to treat the symptoms of allergies and the common cold. This medicine will not treat an infection.

#### Dosage:



# Medisum's Hungry SYRUP

Each 5ml. Contains: Cyproheptadine Hydrochloride IP 2 mg. + Tricholine Citrate Solution (65%) 0.275 gm. Sorbitol Solution (70%)



200ml.

M.R.P.₹ 175/-

### Indication:

- ▶ Restores Appetite
- ▶ Stimulates Duodenal Secretions
- ▶ Tone up the entire digestive system

#### Dosage:

Directed by the physician

### Medisum's Para SYRUP

Each 5ml.contains Paracetamol IP 125 mg, (Flavoured syrupy base q.s.) colour:Ponceau 4R



60ml.

M.R.P.₹ 25.53/-

### Indication:

▶ Para is a widely prescribed medicine that helps to ease pain and bring down high body temperature (Fever). in children, it treats conditions like headache, toothache, body ache, fever, and common cold

### Dosage:

Directed by the physician

### Medisum's Multivitamin Syriip

Anti-oxidant and l-lysine with Multivitamin, Multiminerals and Cyanocobalamin syrup



200ml.

M.R.P.₹ 175/-

### Indication:

- ▶ Improve mental and physical performance
- ▶ Increase stamina and builds up healthy tissues
- ▶ Assists recovery and convalescence from illness

#### Dosage:

Directed by the physician

# Medisum's Para DS DROPS

Each 5ml.contains Paracetamol IP 250 mg, (Flavoured syrupy base q.s.) colour:Ponceau 4R

> 60ml. M.R.P.₹ 38.53/-



### Indication:

▶ It is used for mild to moderate pain including headache, migraine, nerve pain, toothache, sore throat, period pains and general aches and pains. It is also used to help reduce a fever (high temperature).

### Dosage:



# Mediryn SYRUP

Each 5 ml contains: Dipphenhydramine Hydrochloride I.P. 14.08 MG= Ammonium Chloride I.P 138+ Ammonium + Sodium citrate I.P. 57.03mg + Menthol I.P.  $1.14\ mg$  (colour carmoisine, sunset yellow FCF, Erythrosine & Caramel), flavoured syrupy base q.s.

100ml.

M.R.P.₹

110/-

### Indication:

- Cough due to allergy
- ▶ Sinusitis
- ▶ Post nasal drips

#### Dosage:

Directed by the physician

- ▶ Post operative cough

### ▶ Allergic rhinitis

# Nari-Priya SYRUP

225 ML UTERINE TONIC WITH 20 TABS



### Indication:

- ▶ Indispensable for various disorders of Genital system in females
- ► Controls leucorrhoea rapidly
- ▶ Reduce lower back pain
- ▶ Checks excess secretion by unique astringent

### Dosage:

Directed by the physician

### Monturic-L SYRIIP

(Each 5ml. Contains.: Levocetirizine Dihydrochloride IP 2.5 mg. + Montelukast Sodium IP 4 mg. eq. to Montelukast (colour: Tartrazine, in a flavoured syrupy base)

### 60ml.

115/-

M.R.P.₹





### Indication:

- ightharpoonup Effective in allergies of blocked & running nose
- ▶ Controls allergy associated with asthma

### Dosage:

Directed by the physician

### Oflosum-M SYRUP

Each 5ml. contains: Ofloxacin I.P 50 MG + Metronidazole Benzoate I.P 120 MG + Simethicone I.P 10 MG



### 30ml.

M.R.P.₹ 90/-

### Indication:

- ▶ Treats gastrointestinal & other mixed infections.
- ▶ Effective in diarrhoea and dysentery

### Dosage:

# SYRUP/LOTION (



### **Sumscab Lotion**

Gammabenzene Hexachloride I.P 0.1% w/v + Cetrimide I.P 0.1% w/v

100ml.

M.R.P.₹ 110/-



### Indication:

primarily used to treat wounds, cuts, minor burns and protect against infections. In addition to this, it is also used to treat scabies (A contagious, intensely itchy skin condition caused by a tiny, burrowing mite) and pediculosis (A condition in which tiny insects infest the scalp). **Dosage:** 

Directed by the physician

# Rexomed DX SYRUP

Each 5ml.Contains.:DEXROMETHORPHAN 10MG + CHLORPHENIRAMINE 4 MG + MENTHOL 1%

100ml.

M.R.P.₹ 140/-



### Indication:

- ▶ Offers effective anti-tussive & analgesic action
- ▶ Controls allergic symptoms
- ▶ Like sneezing & mucus secetion

### Dosage:

# DROP/DRY SYRUP



# Ondisum DROPS

Each ml. contains: Ondansetron IP 2 mg.



30ml.

M.R.P.₹ 42/-

# **Medisum Multivitamin DROPS**

Multivitamin Drops

15ml.

M.R.P.₹

52/-





### Indication:

- ▶ Multivitamins aids in growth & development
- ▶ Improves concentation level
- ▶ Healthy brain development

### Dosage:

Directed by the physician

### Indication:

- ▶ Prevention & Treatment of Post-Operative nausea & vomiting.
- ▶ Avoidance of hospitalisation In gastro enteritis among children.

#### Dosage:

Directed by the physician


### A-moxum Clav DDS SYRUP

Each 5 ml. of the Reconstituted suspension contains: Amoxycillin Trihydrate I.P 400 mg eq. to Amoxycillin, + Potassium Clavulanate Diluted I.P. 57mg eq. to Clavulanic Acid, Excipients q.s.(in a flavoured base) + STERILE WATER

30ml.

M.R.P.₹

190/-





### Indication:

- ► Urinary tract infection
- ► Respiratory tract infection
- ▶ infection caused by baterial

### Dosage:

# **OINTMENT**



### Dermi AID 5 OINTMENT

Clobetasol Propionate BP 0.05 % w/w + Neomycin Sulphate IP 0.10% w/w + Tolnaftate IP 1.00% w/w + Lodochlorhydroxyquinoline IP 1.00 % w/w + Ketoconazole IP 2.00 % w/w

Ketoconazole, Neomycin Sulphate
Iodochlorhydroxyquinoline,
Tolnaftate & Clobetasole Propionate Cream

Dermiaid-5



15g.

M.R.P.₹ 125/-

### Indication:

- ► Eczema
- ▶ Dermatitis
- ▶ Ringworm-Itch
- ▶ Skin Inflamation

#### Dosage:

As directed by the physician.



# Itradip OC OINTMENT

Itraconazole 1%+ Ofloxacin 0.75% + Ornidazole 2%+ Clobetasole 0.05%

15g.

M.R.P.₹ 110/-





# Indication:

- ▶ Broad spectrum of converage
- ▶ Safely prescribed due to less side-effect profile
- ▶ Effective against both Gram+ve

### Dosage:

As directed by the physician.

### **Vovemed Plus OINTMENT**

Diclofenac Diethylamine IP 1.16% w/w + (Eq. to Diclofenac Sodium I.P. 1.00% w/w) + Linseed Oil BP 3.00% w/w +Methyl Salicylate IP 10.00% w/w Menthol IP 0.5% w/w + Benzyl Alcohol IP 1.00% w/w (As Preservative) + In Gel Base

30g.

M.R.P.₹ 125/-



### Indication:

- ▶ Sprains
- ▶ Low back pain
- ▶ Strains
- ► Arthritic pain

### Dosage:

Apply on affected area 3-4 times a day

# SACHET/SOAP



# Ketohit Soap

Ketoconazole Soap 1.0%w/w



75gm.

M.R.P.₹ 140/-



#### Indication:

lacktriangle Ketohit soap is used to treat superficial fungal and yeast infections of the skin. It is a medicated antifungal soap. It contains Ketoconazole as an active ingredient. Ketoconazole present in Keto soap inhibits the synthesis of chemicals in fungi and inhibits their growth.

After bath, take required amount of lotion

# Medisum's Cal-C D3 SACHET

Cholecalciferol IP 60000 IU

**20x1gm** 



M.R.P.₹

### Indication:

Vitamin D with calcium us used to treat or prevent bone loss. Vitamin D is also used with other medications to treat low levels of calcium or phosphate caused by certain disorders.

#### Dosage:

Directed by the physician

# Medisum's L-Arginine SACHET

ENERGY 4.92KCAL, CARBOHYDRATE 1.23 G, SUGAR 1.23 G, PROTEIN 0.00G, FAT 0.00G, L- ARGININE 3.00G, GRAPE SEED EXTRACT (PROANTHOCYANIDINS)

# 10x5gm

97/-





#### Indication:

▶ L-Arginine is used for chest pain and various blow flow issues, erectile dysfunction, high blood pressure during pregnancy, and a serious disease in premature infants called necrotizing enterocolitis (NEC).

### Dosage:


Directed by the physician

# Probioric SACHET

Probiotic & Prebiotic Sachet

# 20x1gm

M.R.P.₹





### Indication:

▶ Probiotics have been used to treat bowel problems such as (diarrhea, irritable bowel), eczema, vaginal yeast infections, lactose intolerance & urinary tract infections

### Dosage:



# Protifun (choclate) POWDER

Choclate Flavour Protien Powder In 200gm

# 200gm.



M.R.P.₹ 390/-

### Indication:

▶ Brain developing, Pregnancy, Growing Children, Trauma, Old age, Convalescence, Stress, Body building

#### Dosage:

Directed by the physician

# Protifun (Kesar-Pista) POWDER

Easy-open And Plastic Cap



200gm

390/-

### Indication:

- ▶ Maintaining a healthy body comosition
- ▶ Supporting protein intake vitamins and minerals to assist healthy metabolism and energy levels
- ▶ In females pre & post delivery
- $\blacktriangleright\,$  DHA helps in brain development of child during pregnancy & lactation

### Dosage:

Directed by the physician

# Protifun (Dry-Fruit) POWDER

Dry Fruit Flavour Protien Powder In 200gm

# 200gm



M.R.P.₹ 525/-

### Indication:

- ▶ Maintaining a healthy body comosition
- ► Supporting protein intake vitamins and minerals to assist healthy metabolism and energy levels

### Dosage:

Directed by the physician

# Protifun Mom's (Chocolate) POWDER

Choclate Flavour Protien Powder In 200gm



200gm.

### Indication:

- ▶ Maintaining a healthy body comosition
- ▶ Supporting protein intake vitamins and minerals to assist healthy metabolism and energy levels
- ► In females pre & post delivery
- $\blacktriangleright\,$  DHA helps in brain development of child during pregnancy & lactation

### Dosage:



# Protifun SF POWDER

Protein Powder (Chocolate Flavor) TIN Sugar Free

200gm.

M.R.P.₹ 475/-



### Indication:

► Indicated in growing children, pregnant & lactating women, underweight & malnourished patients, postoperative care &during convalescens for diabetic population

### Dosage:

Directed by the physician

# Energy Drink POWDER

### ENERGY POWDER(ORANGE FLAVOUR)



100gm.

### Indication:

- ▶ Improve mental and physical performance
- ▶ Increase stamina and builds up healthy tissues
- ▶ Assists recovery and convalescence from illness

### Dosage:

# **EYE/EAR DROP**



# Ciprosum Eye/Ear Drop

Ciprofloxacin Hydrochloride IP 0.3%w/v + Benzalkonium Chloide Solution 0.02% w/v Sterile Aqueous base q.s



▶ Ciprofloxacin ophthalmic solution is used to treat bacterial infections of the eye including conjunctivitis (pinkeye; infection of the membrane that covers the outside of the eyeball and the I nside of the eyelid) and corneal ulcers (infection and loss of tissue in the clear front part of the eye).

#### Dosage:

Indication:

Directed by the physician

# Ear-Sol Eye/Ear Drop

Gentamicin IP 0.3% w/v. + Beclomethasone Dipropionate IP 0.025% w/v. + Clotrimazole IP 1% w/v. + Lignocaine Hydrochloride IP 2% w/v.



▶ Reduce swelling & congestion

### Dosage:

Indication:

Directed by the physician

# Ciprosum-DX Eye/Ear Drop

Ciprofloxacin Hydrochloride IP 0.6% w/v + Dexamethasone Sodium Phosphate IP 0.02 w/v + Benzalkonium Chloride Solution IP 0.02% w/v Sterile aqueous base q.s.



#### Indication:

Dorzolamide is used to treat high pressure inside the eye due to glaucoma (open angle-type) or other eye diseases (such as ocular hypertension). Lowering high pressure inside the eye helps to prevent blindness. This medication works by decreasing the amount of fluid within the eye. **Dosage:** 

Directed by the physician

# Oflosum Eye/Ear Drop

Ofloxacin IP 0.3%w/v + Benzalkonium Chloride Solution IP 0.02%v/v



#### Indication:

Ciprofloxacin ophthalmic solution is used to treat bacterial infections of the eye including conjunctivitis (pinkeye; infection of the membrane that covers the outside of the eyeball and the I nside of the eyelid) and corneal ulcers (infection and loss of tissue in the clear front part of the eye).

### Dosage:

# **EYE/EAR DROP**



# Oflosum-DX Eye/Ear Drop

Ofloxacin IP 0.3% w/v + Dexamethasone sodium Phosphat IP 0.01% w/v Benzalkonium Chloride Solution IP 0.02% w/v sterile aqueous base



10ml.

M.R.P.₹ 60/-

### Indication:

▶ Ofloxacin and Dexamethasone Sodium Phosphate Eye and Ear Drops is used to treat certain eye conditions due to inflammation or injury. Dexamethasone works by relieving symptoms such as swelling, redness, and itching. It belongs to a class of drugs known as corticosteroids.

#### Dosage:

Directed by the physician

# Wax-E Sol Ear Drop

Paradichlorobenzene 2%w/v +Benzocaine I.P 2.7% W/V + Chlorbutol I.P 5.0% W/V +Turpentine OIL I.P 15% W/V + Oily base q.s



# 10ml.

M.R.P.₹ 88/-

### Indication:

- ► Relieve ear discomfort
- Swimmer Ear Dissolve ear wax

### Dosage:

# **INJECTION**



# Cefrosum Injection

Each Vial contains: Ceftriaxone Sodium I.P. (Sterile) Eq. to Ceftriaxone 1000 mg.



#### Indication:

- ▶ Respiratory tract infection
- ▶ Urinary tract infection
- ▶ Post Surgical Infection
- ▶ Gyanecological infection

### Dosage:

Directed by the physician

# Deca DD 50 Injection

Each Ml. contains: Nandrolone Decanoate IP 50 mg.

### 1ml.

67/-



### Indication:

▶ Nandrolone Decanoate 25mg Injection is a medicine used in the treatment of osteoporosis in post-menopausal women. It helps strengthen the bones which become thin and brittle due to osteoporosis.

### Dosage:

Directed by the physician

# Cefrosum-SB Injection

Each Ml. contains: Ceftriaxone Sodium IP 1000 MG. + Sulbactum Sodium USP 500 mg.

# 1.5gm



### Indication:


- ▶ Respiratory tract infection
- ▶ Urinary tract infection
- ▶ Post Surgical Infection
- ▶ Gyanecological infection

### Dosage:

Directed by the physician

# Pentotek Injection

Each Vial Contains:Pantoprazole IP 40 mg.



# 40mg

M.R.P.₹ 55/-

### Indication:

- ▶ For the temporary relief of burning, irritation, and discomfort due to dryness of the eye or exposure to wind or sun.
- ► May be used as a protectant against further irritation.

#### Dosage

# **INJECTION**



# Raninol Injection

Ranitidine Hydrochloride eq. to ranitidine IP 25mg.

### 2ml. Ampoule

M.R.P.₹ 6.02/-



### Indication:

- ▶ Gastro oesophageal reflux
- ▶ Nausea
- ▶ Vomiting
- ▶ Dypepsia

#### Dosage:


Directed by the physician

# **Vovemed** Injection

Each 3ml. contain : Diclofenac Sodfium IP 75mg. Water for Injection IP

### 3ml.

M.R.P.₹ 4.60/-



### Indication:

- ▶ Muscle injuries
- ▶ Low back pain
- ▶ Spains & strains
- ▶ Neck & shoulder pain

### Dosage:


Directed by the physician

# Ondisum Injection

Each ml. contains : Ondansetron Hydrochloride IP equivalent to ondansetron 2mg water for injection ip q.s.

10x10x2ml.





### Indication:

Ondansetron injection is used to prevent nausea and vomiting caused by cancer medicines (chemotherapy or radiation), including high-dose cisplatin. This medicine is also used to prevent and treat nausea and vomiting that may happen after surgery.

### Dosage:



# Medisum's Onion Oil Onion Oil

Onion Oil



100ml.

M.R.P.₹ 390/-

### Indication:

- ▶ It is used to treat:-
- ▶ Hair fall-Hair thinning
- ▶ Hair breakage
- ▶ Boost hair growth, Promote shiny, frizzy free hair

#### Dosage:

Apply on scalp area with applicator and message gently daily at bed time

## Medisum's Hair Aid Hair Oil

Medisum'S Hair Aid Hair oil



100ml.

M.R.P.₹

190/-

### Indication:

- ► It is used to treat:-
- ► Hair fall-Hair thinning
- ► Hair breakage-Boost hair growth
- ▶ Promote shiny, frizzy free hair

Apply on scalp area with applicator and message gently daily at bed time

### Medisum Orthozox Pain Oil

Ayurvedic Pain Relieving Oil For:-Osteoarthritis, Spondylitis,Low Back Pain,Muscular pain



120ml.

M.R.P.₹ 295/-

### Indication:

- ► Sports Injury
- ► Local Muscular Pain Inflammation
- ▶ Low Backache
- ▶ Sprains

### Dosage:

Directed by the physician

# Medisum's Onion SHAMPOO

Onion Shampoo



300ml

M.R.P.₹ 450/-

### Indication:

- ▶ It is used to treat:-
- -Hair fall-Hair thinning
- -Hair breakage-Boost hair growth
- -Promote shiny, frizzy free hair

### Dosage:

Pour a generous amount on your palm and apply gently on wet hair and scalp, use fingers to work up lather and rinse thoroughly

# HERBAL/COSMETIC



# Medisum Suncare Lotion

Suncare Lotion SPF 50



100ml.

M.R.P.₹ 529/-

### Indication:

▶ Regular use reduces actinic keraoses, solar elastosis, and squamous cell carcinomia

#### Dosage:

After bath, take required amount of lotion

### Medisum Suncare Lotion

Suncare Lotion SPF 50



50ml.

M.R.P.₹ 299/-

### Indication:

▶ Regular use reduces actinic keraoses, solar elastosis, and squamous cell carcinomia

#### Dosage:

After bath, take required amount of lotion

# Honey Tulsi SYRUP

Ayurvedic Cough Syrup With Honey

200ml.



M.R.P.₹ 125/-

### Indication:

Helps in relieving dry, wet, and allergic cough. Soothes sore throat and useful in relieving congestion.

### Dosage:



# Protect your skin from heat rashes



- helps relieve itching and promotes healing of rashes
- Helps softgen and soothe the skin

- hepls reduce excessive sweating
- know to accelerate healing of rashes
- helps prevent body odour

150gm Powder

M.R.P.₹

135/-








## A-moxum Clav SYRUP

Each 5 ml. of the Reconstituted suspension contains: Amoxycillin Trihydrate I.P 200 mg eq. to Amoxycillin, + Potassium Clavulanate Diluted I.P. 28.5mg eq. to Clavulanic Acid, Excipients q.s.(in a flavoured base)





30ml.

M.R.P.₹ 67.20/-

### Indication:

- ► Urinary tract infection
- ► Respiratory tract infection
- ▶ infection caused by baterial

### Dosage:

Directed by the physician

### Cefixum SYRUP

Each Reconstitute 5ml contains: Cefixime Trihydrate I.P. 50 mg eq. to Cefixime, Excipients q.s. (colour: Erythrosine)







### Indication:

- ▶ Cefixime is used in the treatment of bacterial infection
- ▶ Cefixime is uses to treat wide variety of bacterial infection
- ► This medication is known as a cephlosporin antibiotic

#### Dosage:

Directed by the physician

# A-moxum Clav (with water) SYRUP

Each 5 ml. of the Reconstituted suspension contains: Amoxycillin Trihydrate I.P 200 mg eq. to Amoxycillin, + Potassium Clavulanate Diluted I.P. 28.5mg eq. to Clavulanic Acid, Excipients q.s.(in a flavoured base)

30ml.

M.R.P.₹

70/-



### Indication:

- ► Urinary tract infection
- ► Respiratory tract infection
- ▶ infection caused by baterial

#### Dosage:

Directed by the physician

### Cefixum SYRUP

Each Reconstitute 5ml contains: Cefixime Trihydrate I.P. 100 mg eq. to Cefixime, Excipients q.s. (colour: Erythrosine) WITH WATER

30ml.

M.R.P.₹ 79.96/-



#### Indication:


- ▶ Cefixime is used in the treatment of bacterial infection
- ► Cefixime is uses to treat wide variety of bacterial infection
- ► This medication is known as a cephlosporin antibiotic

### Dosage:



### Cefixum-DS SYRUP

Each Reconstitute 5ml contains: Cefixime Trihydrate I.P. 100 mg eq. to Cefixime, Excipients q.s. (colour: Erythrosine) WITH WATER



# 30ml.

M.R.P.₹ 80.30/-



- ▶ Cefixime is used in the treatment of bacterial infection
- ▶ Cefixime is uses to treat wide variety of bacterial infection
- ▶ This medication is known as a cephlosporin antibiotic

### Dosage:

Directed by the physician

### Cefodoxum SYRUP

Each ml. contains: Cefpodoxime Proxetil 50 mg.



### Indication:

- ▶ Ent infection
- ▶ uncomlicated urinary tract infection
- ► upper & lower respiratory tract infections

### Dosage:

Directed by the physician

### CEFIXUM-OF SYRUP

Each 5ml. (after eeconstitution) Suspension contains: Cefixime Trihydrate IP eq. to Cefixime Anhydrous 50 mg.  $\pm$  Ofloxacin IP 50 mg.)  $\pm$  STERILE WATER



### Indication:

- ▶ Cefixime is used in the treatment of bacterial infection
- ▶ Cefixime is uses to treat wide variety of bacterial infection
- ▶ This medication is known as a cephlosporin antibiotic

### Dosage:

Directed by the physician

## Cefodoxum-CV SYRUP

Each ml. after reconstitution contains :Cefpodoxime Proxetil IP eq. to Cefpodoxime (Anhydrous) 50mg. Potassium Clavulanate Diluted IP eq. to clavulanic acid 32.25mg. Excipients q.s.

30ml.

160/-



### Indication:

- ▶ Ent infection
- ► uncomlicated urinary tract infection
- ▶ upper & lower respiratory tract infections

### Dosage:



# Cefodoxum-DDS SYRUP

Each ml. after reconstitution contains: Cefpodoxime Proxetil IP eq. to Cefpodoxime (Anhydrous) 100mg. Excipients q.s.

30ml.





### Indication:

- ► Ent infection
- uncomlicated urinary tract infection
   upper & lower respiratory tract infections

### Dosage:





- 1 Gentamicin + Dexamethasone Eye Drops
- 2 Tobramycin Eye Drops
- 3 Chloramphenicol +dexamethasone Eye Drops
- 4 Neem Soap
- 5 Albendazole + Ivermectin Tablet
- 6 Vitamin B12+ Folic Acid Injection
- 7 Pantoprazole + Levosulpiride Capsule
- 8 Rabeprazole Levosulpiride Capsule
- 9 Progesterone Depot 250mg Injection
- 10 Progesterone Depot 500mg Injection
- 11 Gemcirik K,2-7 Strong



# MEDISUM BIOTECH PVT. LTD.

Regd office: E-5/16, Krishna nagar, Delhi 110051,

BDO - 57, Vastushree complex market yard, Pune - 411037, Maharashtra

Contact: 011 45502240